

Issue Date: 21-Mar-2007

Revision Date: 19-Dec-2013

Version 2

## 1. IDENTIFICATION

**Product Identifier**

**Product Name** SmartWash Thunder Bolt

**Other means of identification**

**SDS #** WS-035

**UN/ID No** UN1719

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Cleaning agent.

**Details of the supplier of the safety data sheet**

**Supplier Address**

Whiting Systems, Inc.  
9000 Highway 5 North  
Alexander, AR 72002

**Emergency Telephone Number**

**Company Phone Number** 1-800-542-9031

**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Brown liquid

**Physical State** Liquid

**Odor** Characteristic burnt sugar

**Classification**

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

**Signal Word**

**Danger**

**Hazard Statements**

Causes severe skin burns and eye damage





<b>Skin Contact</b>	Wash with soap and water. DO NOT attempt to neutralize with chemical agents. Take off contaminated clothing. Wash contaminated clothing before reuse. Get medical attention if necessary.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash mouth and nasal passages with water repeatedly. Call a physician immediately.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. Drink plenty of water or milk immediately. Give diluted vinegar or lemon juice to conscious person. Call a physician or poison control center immediately.

**Most important symptoms and effects**

<b>Symptoms</b>	Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract. Contact will cause irritation and redness to exposed areas. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically. Existing conditions aggravated by exposure: skin disorders, skin allergies, respiratory disorders, eye disorders.
---------------------------	--

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Carbon dioxide (CO2). Water. Water spray (fog). Dry chemical. Chemical foam.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Keep containers cool with water spray to prevent container rupture due to steam buildup. Floor will become slippery if material is released. Contents are corrosive and all personal contact must be avoided.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for Clean-Up</b>	Wash small spills to sanitary sewer. Large spills-confine spill, soak up with approved absorbent, and shovel product into approved container for disposal. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424-8802; refer to 40 CFR 302 for detailed instructions concerning reporting requirements.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Protect container from physical damage.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Protect from extreme temperatures. Store away from incompatible materials.

**Incompatible Materials** Strong oxidizing agents. Strong alkalis. Metallic powders. other easily oxidized organic materials. Reducing agent. Strong acids.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Provide sufficient mechanical ventilation to maintain exposure below TLV(s). Eyewash stations.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Wear approved safety goggles.

**Skin and Body Protection** Neoprene, butyl or nitrile rubber gloves with cuffs. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Respiratory Protection** None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Respiratory protection must be provided in accordance with OSHA regulations (29 CFR1910.134) or European Standard EN 149, as applicable.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	
<b>Appearance</b>		<b>Odor</b>
Brown liquid		Characteristic burnt sugar
<b>Color</b>		<b>Odor Threshold</b>
Brown		Not determined
<b><u>Property Values</u></b>		<b><u>Remarks • Method</u></b>
<b>pH</b>		
13.5-14		
<b>Melting Point/Freezing Point</b>		
Not determined		
<b>Boiling Point/Boiling Range</b>		
100 °C / 212 °F		
<b>Flash Point</b>		
Non-flammable		
<b>Evaporation Rate</b>		(Water = 1)
<1		
<b>Flammability (Solid, Gas)</b>		
n/a-liquid		
<b>Upper Flammability Limits</b>		
Not applicable		
<b>Lower Flammability Limit</b>		
Not applicable		
<b>Vapor Pressure</b>		@ 23°C
17 mm Hg		
<b>Vapor Density</b>		(Air=1)
>1		
<b>Specific Gravity</b>		
1.073		
<b>Water Solubility</b>		
Completely soluble		
<b>Solubility in other solvents</b>		
Not determined		
<b>Partition Coefficient</b>		
Not determined		
<b>Auto-ignition Temperature</b>		
Not determined		
<b>Decomposition Temperature</b>		
Not determined		
<b>Kinematic Viscosity</b>		
Not determined		
<b>Dynamic Viscosity</b>		
Not determined		
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

### Conditions to Avoid

Extreme temperatures.

### Incompatible Materials

Strong oxidizing agents. Strong alkalis. Metallic powders. other easily oxidized organic materials. Reducing agent. Strong acids.

### Hazardous Decomposition Products

Decomposition will not occur if handled and stored properly. In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

**Eye Contact**                      Causes severe eye damage.

**Skin Contact**                      Causes severe skin burns.

**Inhalation**                      Avoid breathing vapors or mists.

**Ingestion**                      Do not taste or swallow.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
Tetrasodium EDTA 64-02-8	= 10 g/kg ( Rat )	-	-
Sodium xylenesulfonate 1300-72-7	= 7200 mg/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

**Symptoms**                      Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity**  
Not determined

**Unknown Acute Toxicity** 5.1% of the mixture consists of ingredient(s) of unknown toxicity.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**  
Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50

**Persistence/Degradability**  
Not determined.

**Bioaccumulation**  
Not determined.

**Mobility**  
Not determined

**Other Adverse Effects**  
Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**  
**UN/ID No** UN1719

**Proper Shipping Name** Sodium hydroxide solution  
**Hazard Class** 8  
**Packing Group** III  
**Reportable Quantity (RQ)** Sodium hydroxide 1000 lbs

**IATA**

**UN/ID No** UN1719  
**Proper Shipping Name** Sodium hydroxide solution  
**Hazard Class** 8  
**Packing Group** III

**IMDG**

**UN/ID No** UN1719  
**Proper Shipping Name** Sodium hydroxide solution  
**Hazard Class** 8  
**Packing Group** III

**15. REGULATORY INFORMATION**

**International Inventories**

Not determined

**US Federal Regulations**

**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Not determined

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2 ( <6 )	1000 lb			X

**US State Regulations**

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X



---

**16. OTHER INFORMATION****NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

3

**Flammability**

0

**Physical Hazards**

0

**Personal Protection**

Not determined

**Issue Date:**

21-Mar-2007

**Revision Date:**

19-Dec-2013

**Revision Note:**

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**